ADVANCED REGULAR STRENGTH ANTACID- aluminum hydroxide, magnesium hydroxide, dimethicone suspension WALGREEN COMPANY

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

WAL ANTACID MINT

Active ingredients (in each 5 mL teaspoonful)

Aluminum hydroxide 200mg (equivalent to dried gel, USP) Magnesium hydroxide 200 mg Simethicone 20mg

Purposes

Antacid

Antigas

Uses

relieves

- heartburn
- sour stomach
- acid indigestion
- the symptoms referred to as gas

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are taking a

prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

- shake well before use
- adults and children 12 years of age and older: take 2 to 4 teaspoonfuls between meals, at bedtime, or as directed by a doctor
- do not take more than 16 teaspoonfuls in 24 hours or use the maximum dosage for more than 2 weeks
- children under 12 years: ask a doctor

Other information

- each 5 mL teas poonful contains: magnesium 85 mg, sodium 3 mg
- store at room temperature and avoid freezing
- keep tightly closed

Inactive ingredients

benzyl alcohol, butylparaben, carboxymethylcellulose sodium, flavor, hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

Questions or comments?

1-800-540-3765

package label

Walgreens

Compare to Maalox® Advanced active ingredients#

ADVANCED

Antacid Liquid

ALUMINA, MAGNESIA, AND SIMETHICONE ORAL SUSPENSION / ANTACID & ANTI-GAS

REGULAR STRENGTH

 Fast relief of heartburn, pressure, bloating& acid indigestion



12 FL 0Z (355 mL)

MINT **FLAVOR**

Drug Facts

TAMPER-EVIDENT: DO NOT USE IF THE BREAKAWAY BAND ON CAP IS BROKEN OR MISSING.

Active ingredients (in each 5 mL teaspoonful)

Purposes

Åluminum hydroxide 200 mg (equivalent to dried gel, USP) Antacid Magnesium hydroxide 200 mg Antacid

Simethicone 20 mg Antigas

USES relieves

- heartburn
- · sour stomach
- acid indigestion
 - symptoms referred to as gas

Warnings

Ask a doctor before use if you have

kidney disease
 a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions • shake well before use

- adults and children 12 years of age and older: take 2 to 4 teaspoonfuls between meals, at bedtime, or as directed by a doctor
- do not take more than 16 teaspoonfuls in 24 hours or use the maximum dosage for more than 2 weeks
- children under 12 years; ask a doctor

Other information

- each 5 mL teaspoonful contains: magnesium 85 mg, sodium 3 mg
- store at room temperature and avoid freezing
 keep tightly closed

Inactive ingredients benzyl alcohol, butylparaben, carboxymethylcellulose sodium, flavor, hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

Questions or comments? 1-800-540-3765

Walgreens Pharmacist Recommended Walgreens Pharmacist Survey II This product is not manufactured or distributed by Novartis Consumer Health, Inc., the owner of the registered trademark Maalox® Advanced. DISTRIBUTED BY: WALGPEEN CO. 200 WILMOT RD., DEERFIELD, IL 60015 100% SATISFACTION GUARANTEED walgreens.com ©2018 Walgreen Co. MADEINU.S.A. ORG0318-F ITEM 221699 W10071-0919-F 922-11212-8 REV GC-0519



ADVANCED REGULAR STRENGTH ANTACID

aluminum hydroxide, magnesium hydroxide, dimethicone suspension

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0363-1639

Route of Administration ORAL

Active Ingredient/Active Moiety

Basis of **Ingredient Name** Strength Strength

ALUMINUM HYDRO XIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDRO XIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDRO XIDE	200 mg in 5 mL
MAGNESIUM HYDRO XIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDRO XIDE ION - UNII:9159UV381P)	MAGNESIUM HYDRO XIDE	200 mg in 5 mL
DIMETHICO NE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	20 mg in 5 mL

Inactive Ingredients		
Ingredient Name	Strength	
HYPROMELLOSES (UNII: 3NXW29V3WO)		
CELLULOSE, MICRO CRYSTALLINE (UNII: OP1R32D61U)		
BUTYLPARABEN (UNII: 3QPI1U3FV8)		
PROPYLPARABEN (UNII: Z8IX2SC1OH)		
WATER (UNII: 059QF0KO0R)		
SACCHARIN SO DIUM (UNII: SB8 ZUX40 TY)		
SORBITOL (UNII: 506T60A25R)		
BENZYL ALCOHOL (UNII: LKG8494WBH)		
CARBO XYMETHYLCELLULO SE SODIUM (UNII: K679 OBS 311)		

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

	Packaging					
:	# Item Code	Package Description	Marketing Start Date	Marketing End Date		
	NDC:0363-1639-12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	0 1/0 1/20 15			
	NDC:0363-1639-26	769 mL in 1 BOTTLE; Type 0: Not a Combination Product	0 1/0 1/20 15			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part331	0 1/0 1/20 15		

Labeler - WALGREEN COMPANY (008965063)

Registrant - GCP Laboratories (965480861)

Establishment			
Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(0363-1639), pack(0363-1639)

Revised: 12/2019 WALGREEN COMPANY